The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23435

Stream : Mud Creek

Applicant : Rush County Drainage Board

Marvin L Rees County Surveyor

Courthouse, Room 213 101 East 2nd Street

Rushville, IN 46173-1871

Description : At 12 separate locations within an approximate 1.65 mile reach of the creek, a

total of 1,350 linear feet of streambank will be stabilized with riprap. Streambanks

will be pulled back to a 2:1 slope and the riprap will be keyed into the bank

starting at its base, conform to the bank, and extend approximately 3' to 4' above the normal waterline. Logjams and sandbars near work areas will be removed. Details of the project are contained in information received at the Division of Water on July 7, 2005, July 11, 2005, July 26, 2005, July 29, 2005, and August 3,

2005.

Location : Beginning just downstream of the US Route 52 stream crossing and continuing

downstream to the County Road 50 North stream crossing DOWNSTREAM: near Manilla, Posey Township, Rush County SE¼, NE¼, Section 31, T 14N, R 9E, Manilla Quadrangle

Quad Code: 3908555

UTM Coordinates: Downstream 4386176 North, 623151 East

UPSTREAM: NW1/4, SE1/4, Section 29, T 14N, R 9E, Carthage Quadrangle

Quad Code: 3908565

UTM Coordinates: Upstream 4387812 North, 624883 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 09/22/2005 8:35 AM

Application # : FW-23528

Stream : Middle Fork Wildcat Creek

Applicant : AccuLevel, Inc.

Andy Beery 5148W 700S

Rossville, IN 46065-9119

Description : A 60' by 80' commercial facility will be developed north of the right (north) stream

bank to provide a staging area for business supplies. The facility will consist of a metal-sided pole barn constructed building with no parking area. Fill will placed on a 65' by 85' area and will vary in depth from 663.1' at the landward edge to 657.3' at the stream bank to create a building pad. The building pad will be set back 550' from the top of the stream bank and will have a finished elevation of 663.7', NGVD. The fill will have 1:3 sideslopes from the finished grade down to the existing floodplain elevations. The lowest floor elevation of the building will be

663.7', NGVD. Details of the project are contained in information received

electronically at the Division of Water on September 9, 2005.

Location : Extending 660' east from County Road 800 West and extending approximately

330' north the intersection of County Road 850 West and County Road 800 West

DOWNSTREAM: near Edna Mills, Ross Township, Clinton County NW¼, NW¼, SW¼, Section 21, T 23N, R 2W, Pyrmont Quadrangle

Quad Code: 4008646

UTM Coordinates: Downstream 4474626 North, 529162 East

UPSTREAM:

UTM Coordinates: Upstream 4474632 North, 529311 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23530

Stream : Trier Ditch

Applicant : Allen County Highway Department

Bill Hartman

1 West Superior Street Fort Wayne, IN 46802-1299

Description : The existing three span concrete box beam bridge will be rehabilitated and

widened by approximately 7' to accommodate a new pedestrian walkway. The

substructure will be extended in-kind to the north to support the wider

superstructure. The bottom elevation of the structure will remain the same. The existing metal guard rails will be removed and replaced with open concrete guardrails. Details of the project are contained in information and plans received

at the Division of Water on September 12, 2005.

Location : At the Main Street stream crossing

at New Haven, Adams Township, Allen County

NW1/4, SE1/4, NE1/4, Section 11, T 30N, R 13E, Fort Wayne East Quadrangle

Quad Code: 4108511

UTM Coordinates: Downstream 4548514 North, 666085 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23532

Stream : Muddy Fork

Applicant : Clark-Floyd Waste Services

Robert Lee PO Box 2128

Clarksville, IN 47129-2128

Description : An approximate 1400' x 1250' area will be excavated to a depth of 20' below

existing grade. There will be a 75' buffer area between the excavation area and bank of Muddy Fork. All excavated material will be removed from the floodway. Details of the project are contained in information and plans received at the

Division of Water on September 14, 2005 and September 19, 2005.

Location : Along the left (northeast) overbank, extending approximately 850' to 2100' north

of the Wilson Switch Road stream crossing and 200' to 1550' west of Wilson

Switch Road

near Wilson, Carr Township, Clark County Clark Military Grant #3, Speed Quadrangle

Quad Code: 3808547

UTM Coordinates: Downstream 4256340 North, 602035 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23533

Stream : Hart Ditch

Applicant : Lake County Highway Department

1100 East Monitor Street Crown Point, IN 46307

Description : The existing single span, Riveted Plate Girder bridge carrying Edmond Drive over

Hart Ditch will be replaced with a new structure on essentially the same alignment

to improve traffic flow. The new structure will be a three-span Reinforced

Concrete Haunched Slab bridge with span lengths of 33.5', 45.5', and 33.5'. The structure will have an out-to-out length of 114.15' and a clear roadway width of

29.5'. The spill through abutments will have 2:1 sideslopes armored with

Revetment Riprap. The abutments and piers will be skewed 25 degrees to align with the streamflow. The new approach roads will be at the same elevation as the existing approaches. The existing structure will be completely removed. Details of the project are contained in information received electronically at the

Division of Water on September 15, 2005.

Location : At the Edmond Drive stream crossing

at Dyer, St. John Township, Lake County

NE¼, NW¼, SE¼, Section 12, T 35N, R 10W, Dyer, IL-IN Quadrangle

Quad Code: 4108745

UTM Coordinates: Downstream 4594137 North, 456928 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23534

Stream : Fall Creek

Applicant : City of Indianapolis

Robert J Masbaum Jr., P.E 604 North Sherman Drive Indianapolis, IN 46201

Description : An existing dam will be removed beginning with the center notch to allow the

water to gradually subside. Erosion will be limited by keeping higher velocity flows in the middle of the channel. The remainder of the dam will be removed after a six month waiting period to allow the banks to stabilize. Appropriate silt,

sediment, and erosion control measures at the dam and upstream will be

required. Details of the project are contained in information and plans received at

the Division of Water on September 15, 2005.

Location : Approximately 300' upstream (east) of Martin Luther King Jr Boulevard

near Indianapolis, Center Township, Marion County

SW1/4, SE1/4, Section 26, T 16N, R 3E, Indianapolis West Quadrangle

Quad Code: 3908672

UTM Coordinates: Downstream 4405320 North, 571205 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23535

Stream : Bear Creek

Applicant : Indiana Department of Natural Resources

Yellowwood State Forest 772 Yellowwood Road Nashville, IN 47448

Description : Dam improvements will be constructed along Bear Lake and Bear Creek. The

top of the dam will be raised to an elevation of 774.1' The existing spillway improvements include cleaning the spillway approach, waterblasting the existing spillway slab, constructing a reinforced spillway slab, and adding pyramat armor to the side slopes. The outlet basin improvements include placing grouted gabion walls with geotextile filter and constructing embankment fill behind the gabions. A new excavated emergency spillway will also be constucted to the northeast of the existing spillway at an elevation of 768'. It will have a 35' bottom width and 2:1 side slopes with armoring. Other structural features include a 6" PVC lake drain and a new gravel access lane. Details of the project are contained in information

and plans received at the Division of Water on September, 19, 2005.

Location : Along the southeastern shoreline of Bear Lake at Yellowwood State Forest

near Trevlac, Jackson Township, Brown County

SW¼, SW¼, SE¼, Section 7, T 10N, R 2E, Morgantown Quadrangle

Quad Code: 3908633

UTM Coordinates: Downstream 4351263 North, 555646 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23536

Stream : St. Joseph River

Applicant : City of Fort Wayne

Mark Gensick

1 Main Street, Room 480 Fort Wayne, IN 46802-1823

Description : Approximately 135' the river's eroded right bank will be restored to a 2.5H:1V

slope and protected with concrete revetment or Reno Mattress laid over a geotextile fabric. Additionally, approximately 30 linear feet of sheet pile will be driven to a depth of 25' at the toe of the regraded slope to protect the spillway wingwall and the slope protection mattress. The existing access will be extended to allow construction traffic to reach the site. The extension of the access may require the removal of a small number of trees that have encroached onto the toe of the dam embankment. Details of the project are contained in information and

plans received at the Division of Water on September 16, 2005.

Location : At the toe of the Cedarville Dam embankmant adjacent to the spillway on the right

bank of the river

at Cedarville, Cedar Creek Township, Allen County

SE14, NE14, SE14, Section 27, T 32N, R 13E, Cedarville Quadrangle

Quad Code: 4108521

UTM Coordinates: Downstream 4562502 North, 666153 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23537

Stream : French Lick Creek

Applicant : Town of French Lick

Tim Mills PO Box 10

French Lick, IN 47432-0010

Description : County Road 25 (Mt. Lebanon Road) is proposed to be relocated approximately

30' to 50' landward and uphill from the floodway/floodplain of French Lick and Sand Creek. The proposed project is to provide an emergency highway access during flood events in the area. The proposed relocation will be to an elevation above the Base Flood Elevation for French Lick Creek. Details of the project are contained in information received electronically at the Division of Water on

September 19, 2005.

Location : Beginning at the intersection of Sinclair Street and County Road 25 (Mt. Lebanon

Road) and extending southwest to the intersection of Mt. Airie Road

at French Lick, French Lick Township, Orange County SW¼, Section 34, T 2N, R 2W, French Lick Quadrangle

Quad Code: 3808655

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23538

Stream : St. Marys River

Applicant : Decatur Parks Department

Dwight Pierce 231 East Monroe

Decatur, IN 46733-1701

Description : A paved trail will be developed along the east bank of the St. Mary's River to

provide a walking and bike riding trail. The facility will consist of a 10' by 6000' trail. The fill will cover a 10' x 6000' area and will be 4" in depth. It will be set back

10' from the top of the streambank. Details of the project are contained in information received electronically at the Division of Water on September 19,

2005.

Location : Along the east bank immediately south of the Highway 224 river crossing and

extending south approximately 6000'

DOWNSTREAM: at Decatur, Washington Township, Adams County NW1/4, NE1/4, Section 3, T 27N, R 14E, Decatur Quadrangle

Quad Code: 4008478

UTM Coordinates: Downstream 4521932 North, 675243 East

UPSTREAM: N½, SW¼, Section 2

UTM Coordinates: Upstream 4520954 North, 676290 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23540

Stream : Tippecanoe River

Applicant : Shafer & Freeman Lakes Environmental

Conservation Corporation

Daryl Johns, Executive Director

218 North Main Street

PO Box 372

Monticello, IN 47960

Description : A hydraulic dredge will be used to perform maintenance dredging along the

banks of the river from the US Highway 24 bridge at river mile 26.02 to south of the Oakdale Dam at river mile 18.9. Approximately 235,000 cubic yds of sediment will be removed from the area to a minimum depth of 6' below the existing water surface. The excavated material will be transferred to an upland disposal site. Details of the project are contained in information and plans

received at the Division of Water on September 20, 2005.

Location : Lake Freeman and it's tributary embayment areas from the US Highway 24 bridge

at river mile 26.02 in the city of Monticello south to the Oakdale Dam at river mile

18.90

DOWNSTREAM: at Monticello, Jefferson Township, Carroll County

NW1/4, NW1/4, SW1/4, Section 34, T 26N, R 3W, Monticello South Quadrangle

Quad Code: 4008667

UTM Coordinates: Downstream 4500444 North, 520877 East

UPSTREAM: Carroll County

NW1/4, NE1/4, SE1/4, Section 33, T 27N, R 3W

UTM Coordinates: Upstream 4510130 North, 520401 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 11 09/22/2005 8:35 AM

Application # : FW-23541

Stream : Little River

Applicant : Prairie Meadows Developers, LLC

202 West Berry Street Fort Wayne, IN 46802

Description : A new residential development, Prairie Meadow, will be constructed along the

south overbank of the Little River to provide additional housing. Construction activities below the 100-Year BFE associated with this development include: (1) an earthen berm, approximately 4,000' long and running essentially parallel to the river. The berm will have an approximate maximum elevation of 764', NGVD with a topwidth of 10'; (2) a retention area, covering approximately 14 acres, landward of the earthen berm. The retention area has an approximate maximum depth of

751', NGVD; (3) a compensatory area, covering approximately 30 acres,

streamward of the earthen berm. The compensatory area has an approximate

maximum depth of 750', NGVD; (4)

approximately 2,000 linear feet of fill associated with grading for residential lots landward of the retention area. The fill will have an approximate maximum elevation of 761', NGVD. Details of the project are contained in information received electronically by the Division of Water on September 21, 2005.

Location : Along the left (south) overbank of Little River, beginning approximately 1,000'

downstream of the Homestead Road stream crossing and continuing downstream

(west) approximately 4,000'

near Fort Wayne, Lafayette Township, Allen County SW¼, NE¼, T 29N, R 11E, Zanesville Quadrangle

Quad Code: 4008583

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20259

Lake : Little Barbee Lake

Applicant : Harold and Shirley Huston

101 EMS B61 Lane Warsaw, IN 46582-6651

Description : A concrete and rock seawall will be refaced with a layer of concrete across the

applicant's 110' frontage. The reface layer will be keyed to the wall's lakeward face. In addition, the lakebed in front of the seawall will be dredged to a 4:1 slope beginning at the toe of the concrete reface layer. The dredging will be performed by an excavator. The excavated material will be transported to an upland

detention area where it will be dewatered before being transported to an offsite disposal area. Details of the project are contained in information and plans received at the Division of Water on September 14, 2005, and September 15,

2005.

Location : 101 EMS B61 Lane

near North Webster, Tippecanoe Township, Kosciusko County

SE1/4, NW1/4, NE1/4, Section 28, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4571585 North, 607471 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20260

Lake : Pine Lake

Applicant : North Shore Condominium Home Owners

Association

Bryon L Eigenmann

107 J Street

LaPorte, IN 46350-4730

Description : A temporary pier will be placed in front of the applicant's property to provide boat

docks. The 40' wide floating pier will extend 149' lakeward of, and perpendicular to, the legal shoreline of the lake. The pier will be placed 177' from the eastern property line and 367' from the western property line. It will be supported by poles which will be placed in the lakebed using hand held tools. Details of the project are contained in information received electronically at the Division of

Water on September 15, 2005.

Location : 2-56 North Shore Drive

at LaPorte, Center Township, LaPorte County

SE14, SE14, NE14, Section 27, T 37N, R 3W, Springville Quadrangle

Quad Code: 4108666

UTM Coordinates: Downstream 4608850 North, 521445 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20261

Lake : Lake James

Applicant : Dennis Spidel

613 W Maumee Street Angola, IN 46703-1432

Description : A new concrete seawall will be constructed across the applicant's 50' frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. In addition, a 25' x 30' underwater beach will be constructed across 25' of the applicant's 50' frontage by placing a uniform 6" layer of pea gravel on the

lakebed. Details of the project are contained in information and plans received at

the Division of Water on September 16, 2005.

Location : 280 Lane 510 Lake James

near Fremont, Jamestown Township, Steuben County

NE1/4, SW1/4, Section 33, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4618942 North, 662802 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11